

| Ref # | Hits | Search Query  | DBs                | Default Operator | Plurals | Time Stamp       |
|-------|------|---|--------------------|------------------|---------|------------------|
| S1    | 1    | "6233577".pn.   | US-PGPUB;<br>USPAT | OR               | OFF     | 2005/03/09 17:17 |
| S2    | 2    | "6233577".pn. "6233341".pn.   | US-PGPUB;<br>USPAT | OR               | OFF     | 2005/03/10 09:40 |
| S3    | 1    | "6763459".pn.   | US-PGPUB;<br>USPAT | OR               | OFF     | 2005/03/10 09:41 |
| S4    | 2    | "6763459".pn. "6802002".pn.   | US-PGPUB;<br>USPAT | OR               | OFF     | 2005/03/10 09:41 |
| S5    | 1864 | (certif\$7 validat\$3) with public near key and (@ad<"20000114" @rlan<"20000114" @rlad<"20000114" @prad<"20000114")   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/16 15:03 |
| S6    | 1584 | (certif\$7 validat\$3) with public near key with certificate and (@ad<"20000114" @rlan<"20000114" @rlad<"20000114" @prad<"20000114")  | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/16 15:04 |
| S7    | 319  | (certif\$7 validat\$3) with public near key with certificate and (@ad<"20000114" @rlan<"20000114" @rlad<"20000114" @prad<"20000114") and registration with authority                          | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/16 15:04 |
| S8    | 1    | (certif\$7 validat\$3) with public near key with certificate and (@ad<"20000114" @rlan<"20000114" @rlad<"20000114" @prad<"20000114") and (offline off\$line) with registration with authority | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/16 15:06 |
| S9    | 1    | (certif\$7 valid\$5) with public near key with certificate and (@ad<"20000114" @rlan<"20000114" @rlad<"20000114" @prad<"20000114") and (offline off\$line) with registration with authority   | US-PGPUB;<br>USPAT | OR               | ON      | 2005/03/16 15:15 |

|     |     |  |                 |    |    |                  |
|-----|-----|--|-----------------|----|----|------------------|
| S10 | 1   | (certif\$7 valid\$5) with public near key with certificate and (@ad<"20000114" @rlan<"20000114" @rlad<"20000114" @prad<"20000114") and (offline off\$line) with regist\$7 with authority                             | US-PGPUB; USPAT | OR | ON | 2005/03/16 15:16 |
| S11 | 119 | (valid\$5) with public near key with certificate and (@ad<"20000114" @rlan<"20000114" @rlad<"20000114" @prad<"20000114") and regist\$7 with authority  | US-PGPUB; USPAT | OR | ON | 2005/03/16 15:16 |
| S12 | 41  | (valid\$5) with public near key with certificate and (@ad<"20000114" @rlan<"20000114" @rlad<"20000114" @prad<"20000114") and regist\$7 with authority and bind\$3 with public adj key with (user client computer PC) | US-PGPUB; USPAT | OR | ON | 2005/03/16 15:17 |